FIGURE 1 – Plan map of the ACKIO mineralized surface expressions




TABLE 1 – Drill collar details and continuous composite elevated radioactivity results from drill holes AK22-066 to AK22-080, and HK22-007

DDH	Target Area	East	North	Elevation	Az.	Dip	ЕОН	Radioactivity (>300 cps)	Assay Results (>0.05 wt% U ₃ O ₈)
AK22-66	ACKIO	526,028	6,372,930	466	90	-85	300	493 cps over 0.3 m at 40.45 m	Assay results pending
								370 cps over 0.05 m at 44.7 m	Assay results pending
								350 cps over 0.2 m at 68.75 m	Assay results pending
								314 cps over 4.6 m at 82.6 m	Assay results pending
								568 cps over 9.0 m at 89.6 m	Assay results pending
								718 cps over 0.3 m at 101.8 m	Assay results pending
								875 cps over 27.7 m at 106.2 m	Assay results pending
							includes	2,222 cps over 2.9 m at 126.55 m	Assay results pending
								332 cps over 2.0 m at 146.45 m	Assay results pending
								1,206 cps over 0.2 m at 150.5 m	Assay results pending
								483 cps over 0.1 m at 153.8 m	Assay results pending
								566 cps over 2.5 m at 177.3 m	Assay results pending
							includes	2,329 cps over 0.2 m at 179.25 m	Assay results pending
AK22-67	ACKIO	526,028	6,372,930	466	90	-65	291	340 cps over 0.1 m at 68.0 m	Assay results pending
								566 cps over 1.55 m at 70.5 m	Assay results pending
								508 cps over 0.7 m at 74.25 m	Assay results pending
								450 cps over 0.25 m at 98.45 m	Assay results pending
								610 cps over 0.1 m at 247.0 m	Assay results pending
AK22-68	ACKIO	526,028	6,372,930	466	90	-45	258	610 cps over 0.4 m at 53.2 m	Assay results pending
								445 cps over 0.35 m at 55.95 m	Assay results pending
								415 cps over 1.05 m at 74.9 m ¹	Assay results pending
								1,104 cps over 9.55 m at 78.25 m	Assay results pending
							includes	2,292 cps over 2.15 m at 79.65 m	Assay results pending
								690 cps over 4.9 m at 90.0 m	Assay results pending
								621 cps over 0.5 m at 155.2 m	Assay results pending
AK22-69	ACKIO	526,009	6,372,980	465	90	-50	327	643 cps over 1.5 m at 81.4 m	Assay results pending
								550 cps over 0.1 m at 87.0 m	Assay results pending
								1,687 cps over 26.9 m at 90.9 m ²	Assay results pending
							includes	2,614 cps over 0.45 m at 96.0 m	Assay results pending
							and	3,100 cps over 11.3 m at 104.85 m	Assay results pending

AK22-70 ACKIO 526,009 6,372,980 465 90 -55 300 430 cps over 0.2 m at 186.7 m Assay results pending 950 cps over 0.15 m at 200.15 m Assay results pending 950 cps over 0.2 m at 19.3 m Assay results pending 920 cps over 0.25 m at 116.15 m Assay results pending Assay results pending 600 cps over 0.2 m at 113.00 m Assay results pending Assay results pending 600 cps over 0.2 m at 119.0 m Assay results pending Assay results pending 600 cps over 0.25 m at 116.15 m Assay results pending Assay results pending 600 cps over 0.25 m at 119.0 m Assay results pending 480 cps over 5.5 m at 190.45 m³ Assay results pending 480 cps over 5.5 m at 190.45 m³ Assay results pending 1,535 cps over 1.6 m at 204.85 m Assay results pending 1,535 cps over 0.2 m at 129.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100										
AK22-70 ACKIO 526,009 6,372,980 465 90 -55 300 430 cps over 0.15 m at 200.15 m Assay results pending 600 cps over 0.15 m at 200.65 m Assay results pending 600 cps over 0.15 m at 200.65 m Assay results pending 600 cps over 0.15 m at 116.15 m Assay results pending 600 cps over 0.15 m at 116.15 m Assay results pending 600 cps over 0.1 m at 119.0 m Assay results pending 600 cps over 0.1 m at 119.0 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.2 m at 73.05 m Assay results pending 730 cps over 0.3 m at 200.45 m Assay results pending 730 cps over 0.3 m at 200.45 m Assay results pending 730 cps over 0.3 m at 200.45 m Assay results pending 730 cps over 0.3 m at 200.56 m Assay results pending 730 cps over 0.3 m at 200.56 m Assay results pending 730 cps over 0.3 m at 200.50 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps over 0.3 m at 200.0 m Assay results pending 730 cps									550 cps over 0.4 m at 121.1 m	Assay results pending
AK22-70 ACKIO 526,009 6,372,980 465 90 -55 300 430 cps over 0.25 m at 191.3 m Assay results pending 600 cps over 0.55 m at 116.15 m Assay results pending 600 cps over 0.1 m at 119.0 m Assay results pending 600 cps over 0.25 m at 113.0 m Assay results pending 600 cps over 0.25 m at 1173.05 m Assay results pending 600 cps over 0.25 m at 1373.05 m Assay results pending 730 cps over 0.25 m at 183.2 m Assay results pending 480 cps over 0.25 m at 183.2 m Assay results pending 1,535 cps over 1.6 m at 204.85 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 445 cps over 0.6 m at 204.85 m Assay results pending 1,100 cps over 0.3 m at 209.35 m Assay results pending 445 cps over 0.6 m at 204.85 m Assay results pending 445 cps over 0.6 m at 204.80 m Assay results pending 445 cps over 0.6 m at 204.80 m Assay results pending 445 cps over 0.6 m at 204.80 m Assay results pending 445 cps over 0.6 m at 204.80 m Assay results pending 440 cps over 0.5 m at 55.85 m Assay results pending 440 cps over 0.6 m at 200.0 m Assay results pending 440 cps over 0.6 m at 200.0 m Assay results pending Assay results pending 440 cps over 0.75 m at 94.95 m Assay results pending Assay results pending 440 cps over 0.75 m at 94.95 m Assay results pending Assay results pending 440 cps over 0.75 m at 94.95 m Assay results pending Assay results pending 45.86 cps over 0.75 m at 94.95 m Assay results pending 45.86 cps over 0.75 m at 94.95 m Assay results pending Assay results pending Assay results pending Assay results pending 45.86 cps over 0.95 m at 113.8 m Assay results pending Ass									· ·	Assay results pending
ACK2-70 ACKIO 526,009 6,372,980 465 90 -55 300 430 cps over 0.2 m at 91.3 m 920 cps over 0.25 m at 116.15 m Assay results pending AS									550 cps over 0.15 m at 200.15 m	Assay results pending
AK22-71 ACKIO 526,030 6,372,830 467 90 -60 306 434 cps over 0.2 m at 173.05 m Assay results pending 1,535 cps over 0.2 m at 173.05 m Assay results pending Assay results pending 1,535 cps over 1.6 m at 204.85 m Assay results pending Assay resu									950 cps over 0.15 m at 209.65 m	Assay results pending
ACCU-71 ACKIO 526,030 6,372,830 467 90 -60 306 434 cps over 0.2 m at 173.05 m Assay results pending 480 cps over 0.25 m at 183.2 m Assay results pending 1,535 cps over 0.6 m at 204.85 m Assay results pending 1,535 cps over 0.6 m at 204.85 m Assay results pending 2,127 cps over 0.6 m at 204.85 m Assay results pending 1,000 cps over 0.3 m at 209.35 m Assay results pending 445 cps over 0.6 m at 205.6 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending 445 cps over 0.9 m at 55.85 m Assay results pending 440 cps over 0.9 m at 55.85 m Assay results pending 440 cps over 0.9 m at 204.8 m Assay results pending 480 cps over 0.9 m at 204.8 m Assay results pending 480 cps over 0.9 m at 204.8 m Assay results pending 480 cps over 0.9 m at 204.8 m Assay results pending 480 cps over 0.7 m at 94.95 m Assay results pending 480 cps over 0.7 m at 94.95 m Assay results pending 480 cps over 0.0 m at 107.35 m Assay results pending 480 cps over 0.1 m at 111.7 m Assay results pending 480 cps over 0.95 m at 118.0 m Assay results pending 480 cps over 0.95 m at 118.0 m Assay results pending 480 cps over 0.95 m at 118.0 m Assay results pending 480 cps over 0.95 m at 131.6 m Assay results pending 480 cps over 0.95 m at 131.5 m Assay results pending 480 cps over 0.95 m at 131.5 m Assay results pending 480 cps over 0.95 m at 131.5 m Assay results pending 480 cps over 0.95 m at 131.5 m Assay results pending 480 cps over 0.95 m at 131.5 m Assay results pending	AK22-70	ACKIO	526,009	6,372,980	465	90	-55	300	430 cps over 0.2 m at 91.3 m	Assay results pending
ACK22-71 ACKIO 526,030 6,372,830 467 90 -60 306 434 cps over 0.2 m at 173.05 m Assay results pending 730 cps over 0.25 m at 183.2 m 480 cps over 5.5 m at 190.45 m³ Assay results pending 1,535 cps over 1.6 m at 204.85 m Assay results pending 1,535 cps over 0.3 m at 209.35 m Assay results pending 445 cps over 0.3 m at 209.35 m Assay results pending 445 cps over 0.3 m at 209.35 m Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending Assay results pending 445 cps over 1.6 m at 228.0 m Assay results pending									920 cps over 0.55 m at 116.15 m	Assay results pending
Accepted Acc									600 cps over 0.1 m at 119.0 m	Assay results pending
Accepted Acc	AK22-71	ACKIO	526,030	6,372,830	467	90	-60	306	434 cps over 0.2 m at 173.05 m	Assay results pending
1,535 cps over 1.6 m at 204.85 m Assay results pending Assay results A									730 cps over 0.25 m at 183.2 m	Assay results pending
AK22-72 ACKIO 526,030 6,372,830 467 90 -75 246 No significant results Assay results pending AK22-74 ACKIO 526,030 6,372,830 467 90 -45 294 No significant results Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -60 297 900 cps over 0.05 m at 201.0 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -80 297 900 cps over 0.05 m at 201.0 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.15 m at 201.0 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.15 m at 201.0 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.15 m at 201.0 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.15 m at 201.0 m Assay results pending 1,049 cps over 0.75 m at 94.95 m Assay results pending 1,049 cps over 0.75 m at 94.95 m Assay results pending 28 cps over 1.00 m at 107.35 m Assay results pending 1,128 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 0.1 m at 131.6 m Assay results pending Assay results pending 3,800 cps over 0.25 m at 131.8 m Assay results pending Assay results pending 3,800 cps over 0.25 m at 131.8 m Assay results pending Assay									480 cps over 5.5 m at 190.45 m ³	Assay results pending
AK22-72 ACKIO 526,030 6,372,830 467 90 -75 246 No significant results Assay results pending Ak22-74 ACKIO 526,030 6,372,830 467 90 -45 294 No significant results Assay results pending Assay results									1,535 cps over 1.6 m at 204.85 m	Assay results pending
AK22-72 ACKIO 526,030 6,372,830 467 90 -75 246 No significant results Assay results pending AK22-74 ACKIO 526,030 6,372,830 467 90 -45 294 No significant results Assay results pending AK22-74 ACKIO 526,040 6,372,880 466 90 -60 297 900 cps over 0.05 m at 55.85 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -60 297 900 cps over 0.05 m at 201.0 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.35 m at 208.0 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.1 m at 90.45 m Assay results pending AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.1 m at 90.45 m Assay results pending 1,049 cps over 0.75 m at 94.95 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 1,128 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 0.95 m at 131.8 m Assay results pending 2,086 cps over 0.95 m at 131.8 m Assay results pending 3,086 cps over 0.95 m at 131.8 m Assay results pending 1,128 cps over 0.25 m at 131.8 m Assay results pending 3,086 cps over 0.95 m at 142.05 m Assay results pending 3,426 cps over 9.95 m at 142.05 m Assay results pending 3,426 cps over 1.2 m at 145.35 m Assay results pending 3,426 cps over 1.2 m at 145.35 m Assay results pending 3,426 cps over 1.2 m at 145.35 m Assay results pending 4,588 cps over 1.2 m at 145.35 m Assay results pending 4,580 cps over 1.2 m at 145.35 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.05 m Assay results pending 4,580 cps over 9.95 m at 142.0								includes	2,127 cps over 0.6 m at 205.6 m	Assay results pending
ACC2-72 ACKIO 526,030 6,372,830 467 90 -75 246 No significant results Assay results pending ACC2-73 ACKIO 526,030 6,372,830 467 90 -45 294 No significant results Assay results pending ACC2-74 ACKIO 526,040 6,372,880 466 90 -60 297 900 cps over 0.05 m at 55.85 m Assay results pending 440 cps over 0.6 m at 201.0 m Assay results pending 638 cps over 9.95 m at 204.8 m Assay results pending 638 cps over 0.35 m at 208.0 m Assay results pending 638 cps over 0.35 m at 208.0 m Assay results pending 638 cps over 0.1 m at 90.45 m Assay results pending 1,049 cps over 0.75 m at 94.95 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 1,128 cps over 7.1 m at 131.6 m Assay results pending 1,128 cps over 7.1 m at 131.6 m Assay results pending 2,086 cps over 0.95 m at 131.8 m Assay results pending 982 cps over 0.95 m at 131.8 m Assay results pending Assay results pending 3,800 cps over 0.25 m at 131.8 m Assay results pending Assay results pending Assay results pending Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pendin									1,100 cps over 0.3 m at 209.35 m	Assay results pending
ACK22-72 ACKIO 526,030 6,372,830 467 90 -75 246 No significant results Assay results pending ACK22-73 ACKIO 526,030 6,372,830 467 90 -45 294 No significant results Assay results pending ACK22-74 ACKIO 526,040 6,372,880 466 90 -60 297 900 cps over 0.05 m at 55.85 m Assay results pending 440 cps over 0.6 m at 201.0 m Assay results pending 638 cps over 9.95 m at 204.8 m Assay results pending 638 cps over 9.95 m at 204.8 m Assay results pending ACK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.35 m at 208.0 m Assay results pending 1,049 cps over 0.75 m at 90.45 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 1,128 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 0.1 m at 131.6 m Assay results pending 3,800 cps over 0.25 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 131.8 m Assay results pending 4,580 cps over 0.95 m at 135.85 m Assay results pending Assay									445 cps over 8.25 m at 211.7 m	Assay results pending
ACK10 526,030 6,372,830 467 90 -45 294 No significant results Assay results pending 440 cps over 0.05 m at 55.85 m Assay results pending 638 cps over 9.95 m at 204.8 m Assay results pending 638 cps over 9.95 m at 204.8 m Assay results pending 638 cps over 0.35 m at 208.0 m Assay results pending 638 cps over 0.35 m at 208.0 m Assay results pending 638 cps over 0.35 m at 208.0 m Assay results pending 638 cps over 0.35 m at 208.0 m Assay results pending 638 cps over 0.35 m at 208.0 m Assay results pending 638 cps over 0.1 m at 90.45 m Assay results pending 1,049 cps over 0.75 m at 94.95 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 638 cps over 0.6 m at 115.75 m Assay results pending 638 cps over 0.1 m at 127.7 m Assay results pending 638 cps over 0.1 m at 131.6 m Assay results pending 638 cps over 0.25 m at 131.8 m Assay results pending 638 cps over 0.25 m at 131.8 m Assay results pending 638 cps over 0.25 m at 131.8 m Assay results pending 638 cps over 0.25 m at 131.8 m Assay results pending 638 cps over 0.25 m at 135.85 m Assay results pending 638 cps over 0.25 m at 135.85 m Assay results pending 638 cps over 0.25 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assay results pending 638 cps over 9.95 m at 142.05 m Assa									445 cps over 1.6 m at 228.0 m	Assay results pending
ACK22-74 ACKIO 526,040 6,372,880 466 90 -60 297 900 cps over 0.05 m at 55.85 m Assay results pending 440 cps over 0.6 m at 201.0 m Assay results pending 638 cps over 9.95 m at 204.8 m Assay results pending Ack22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.1 m at 90.45 m 1,049 cps over 0.75 m at 94.95 m Assay results pending 1,049 cps over 0.075 m at 194.95 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 1,049 cps over 0.6 m at 115.75 m Assay results pending Assay results pending 1,049 cps over 0.1 m at 107.35 m Assay results pending 1,049 cps over 0.1 m at 107.35 m Assay results pending 1,049 cps over 0.10 m at 107.35 m Assay results pending 2,086 cps over 0.1 m at 131.6 m Assay results pending 1,128 cps over 0.1 m at 131.8 m Assay results pending 2,086 cps over 0.95 m at 131.8 m Assay results pending Assay results pending 3,800 cps over 0.25 m at 135.85 m Assay results pending	AK22-72	ACKIO	526,030	6,372,830	467	90	-75	246	No significant results	Assay results pending
AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.6 m at 201.0 m Assay results pending consoler 0.5 cps over 0.35 m at 208.0 m Assay results pending consoler 0.75 m at 90.45 m Assay results pending consoler 0.75 m at 94.95 m Assay results pending consoler 0.75 m at 94.95 m Assay results pending consoler 0.75 m at 94.95 m Assay results pending consoler 0.75 m at 100.45 m Assay results pending consoler 0.75 m at 100.45 m Assay results pending consoler 0.75 m at 100.45 m Assay results pending consoler 0.75 m at 100.45 m Assay results pending consoler 0.75 m at 127.7 m Assay results pending consoler 0.1 m at 127.7 m Assay results pending consoler 0.1 m at 131.6 m Assay results pending consoler 0.95 m at 131.8 m Assay results pending consoler 0.95 m at 131.8 m Assay results pending consoler 0.95 m at 135.85 m Assay results pending consoler 0.95 m at 135.85 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending consoler 0.95 m at 142.05 m Assay results pending conso	AK22-73	ACKIO	526,030	6,372,830	467	90	-45	294	No significant results	Assay results pending
AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.35 m at 204.8 m AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.1 m at 90.45 m Assay results pending 1,049 cps over 0.75 m at 94.95 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 928 cps over 10.0 m at 115.75 m Assay results pending 780 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 0.1 m at 131.6 m Assay results pending 1,128 cps over 7.1 m at 131.8 m Assay results pending 1,128 cps over 0.95 m at 131.8 m Assay results pending 1,128 cps over 0.95 m at 131.8 m Assay results pending 982 cps over 0.95 m at 142.05 m Assay results pending Assay results pending 3,426 cps over 9.95 m at 142.05 m Assay results pending Assay result	AK22-74	ACKIO	526,040	6,372,880	466	90	-60	297	900 cps over 0.05 m at 55.85 m	Assay results pending
includes 2,800 cps over 0.35 m at 208.0 m Assay results pending 2,0422-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.1 m at 90.45 m Assay results pending 1,049 cps over 0.75 m at 94.95 m Assay results pending 928 cps over 10.0 m at 107.35 m Assay results pending 928 cps over 0.6 m at 115.75 m Assay results pending 780 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 0.1 m at 131.6 m Assay results pending 1,128 cps over 0.95 m at 131.8 m Assay results pending 1,128 cps over 0.95 m at 131.8 m Assay results pending 1,128 cps over 0.95 m at 131.8 m Assay results pending 982 cps over 0.95 m at 142.05 m Assay results pending 3,426 cps over 9.95 m at 142.05 m Assay results pending 982 cps over 9.95 m at 142.05 m Assay results pending 982 cps over 1.2 m at 145.35 m Assay results pending 982 cps over 1.2 m at 145.35 m Assay results pending 982 cps over 1.2 m at 145.35 m									440 cps over 0.6 m at 201.0 m	Assay results pending
AK22-75 ACKIO 526,040 6,372,880 466 90 -80 285.8 550 cps over 0.1 m at 90.45 m 1,049 cps over 0.75 m at 94.95 m 288 cps over 10.0 m at 107.35 m Assay results pending 1,049 cps over 0.6 m at 115.75 m Assay results pending 4,588 cps over 0.6 m at 115.75 m Assay results pending 780 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 7.1 m at 131.6 m Assay results pending 1,128 cps over 7.1 m at 131.8 m Assay results pending 1,128 cps over 0.95 m at 131.8 m Assay results pending 3,800 cps over 0.25 m at 135.85 m Assay results pending 982 cps over 9.95 m at 142.05 m Assay results pending 3,426 cps over 1.2 m at 145.35 m Assay results pending Assay results pending Assay results pending Assay results pending									638 cps over 9.95 m at 204.8 m	Assay results pending
1,049 cps over 0.75 m at 94.95 m 928 cps over 10.0 m at 107.35 m Assay results pending 4,588 cps over 0.6 m at 115.75 m Assay results pending 780 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 7.1 m at 131.6 m Assay results pending 1,128 cps over 7.1 m at 131.8 m Assay results pending 2,086 cps over 0.95 m at 131.8 m Assay results pending								includes	2,800 cps over 0.35 m at 208.0 m	Assay results pending
928 cps over 10.0 m at 107.35 m Assay results pending 4,588 cps over 0.6 m at 115.75 m Assay results pending 780 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 7.1 m at 131.6 m Assay results pending 2,086 cps over 0.95 m at 131.8 m Assay results pending 982 cps over 0.25 m at 135.85 m Assay results pending 982 cps over 9.95 m at 142.05 m Assay results pending Assay results pending Assay results pending 982 cps over 9.95 m at 142.05 m Assay results pending Assay results pending	AK22-75	ACKIO	526,040	6,372,880	466	90	-80	285.8	550 cps over 0.1 m at 90.45 m	Assay results pending
includes 4,588 cps over 0.6 m at 115.75 m 780 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 7.1 m at 131.6 m Assay results pending 2,086 cps over 0.95 m at 131.8 m Assay results pending 982 cps over 9.95 m at 142.05 m Assay results pending									1,049 cps over 0.75 m at 94.95 m	Assay results pending
780 cps over 0.1 m at 127.7 m Assay results pending 1,128 cps over 7.1 m at 131.6 m Assay results pending 2,086 cps over 0.95 m at 131.8 m Assay results pending and 5,800 cps over 0.25 m at 135.85 m Assay results pending 982 cps over 9.95 m at 142.05 m Assay results pending 3,426 cps over 1.2 m at 145.35 m Assay results pending Assay results pending									928 cps over 10.0 m at 107.35 m	Assay results pending
1,128 cps over 7.1 m at 131.6 m Assay results pending includes and 5,800 cps over 0.25 m at 135.85 m 982 cps over 9.95 m at 142.05 m Assay results pending								includes	4,588 cps over 0.6 m at 115.75 m	Assay results pending
includes 2,086 cps over 0.95 m at 131.8 m and 5,800 cps over 0.25 m at 135.85 m 982 cps over 9.95 m at 142.05 m includes 3,426 cps over 1.2 m at 145.35 m Assay results pending Assay results pending Assay results pending									780 cps over 0.1 m at 127.7 m	Assay results pending
and 5,800 cps over 0.25 m at 135.85 m Assay results pending 982 cps over 9.95 m at 142.05 m Assay results pending includes 3,426 cps over 1.2 m at 145.35 m Assay results pending									1,128 cps over 7.1 m at 131.6 m	Assay results pending
982 cps over 9.95 m at 142.05 m Assay results pending includes 3,426 cps over 1.2 m at 145.35 m Assay results pending								includes	2,086 cps over 0.95 m at 131.8 m	Assay results pending
includes 3,426 cps over 1.2 m at 145.35 m Assay results pending								and	5,800 cps over 0.25 m at 135.85 m	Assay results pending
									982 cps over 9.95 m at 142.05 m	Assay results pending
869 cps over 11.65 m at 155.3 m Assay results pending								includes	3,426 cps over 1.2 m at 145.35 m	Assay results pending
									869 cps over 11.65 m at 155.3 m	Assay results pending

							includes	4,400 cps over 0.2 m at 160.15 m	Assay results pending
							and	3,774 cps over 0.3 m at 161.45 m	Assay results pending
							and	2,959 cps over 1.0 m at 165.8 m	Assay results pending
								970 cps over 0.35 m at 180.4 m	Assay results pending
								620 cps over 0.1 m at 198.0 m	Assay results pending
AK22-76	ACKIO	526,016	6,373,080	464	90	-85	318	702 cps over 0.15 m at 34.35 m	Assay results pending
								450 cps over 0.1 m at 35.7 m	Assay results pending
								566 cps over 0.35 m at 96.4 m	Assay results pending
								393 cps over 2.05 m at 277.65 m	Assay results pending
								499 cps over 0.5 m at 295.15 m	Assay results pending
AK22-77	ACKIO	526,016	6,373,080	464	90	-65	360	500 cps over 0.15 m at 53.85 m	Assay results pending
AK22-78	ACKIO	526,016	6,373,080	464	90	-45	243	No significant results	Assay results pending
AK22-79	ACKIO	526,130	6,372,980	466	90	-65	306	No significant results	Assay results pending
AK22-80	ACKIO	526,130	6,372,980	466	90	-45	268.55	No significant results	Assay results pending
HK22-07	Regional	532,875	6,367,115	480	308	-60	150	N/A - non radioactive target	N/A
16 DDH							4,550.35	10 DDH	0 DDH

NOTES: East and North units are metres using NAD83 datum, UTM Zone 13N

Elevation is recorded as "metres above sea level"

Az. = Azimuth, EOH = End of hole (measured in metres)

Composite radioactivity results use 300 cps cut-off and do not contain greater than 2.0 m consecutive dilution

- 1 includes 0.1 m lost core over interval length
- 2 includes 5.5 m lost core over interval length
- 3 includes 0.5 m lost core over interval length