

**TABLE 1 – Drill collar details, continuous composite elevated radioactivity results, and uranium assay results (U₃O₈) from drill holes
AK23-111 to AK23-113, AK23-116**

| DDH | Target Area | Location | East | North | Elevation | Az. | Dip | EOH | Radioactivity (>300 cps) | Assay Results (>0.05 wt% U ₃ O ₈) |
|----------|-------------|----------------------------|--------|---------|-----------|-----|-----|----------------------------|--|---|
| AK23-111 | ACKIO | Pod 7 - Overburden contact | 525671 | 6427532 | 463 | 270 | -75 | 211.3 | 590 cps over 5.65 m at 39.8 m 303 cps over 2.45 m at 58.1 m 302 cps over 2.45 m at 65.05 m 395 cps over 3.1 m at 77.55 m 400 cps over 0.1 m at 93.1 m | 0.13% over 6.5 m at 39.5 m ¹ 0.06% over 0.5 m at 60.0 m 0.08% over 0.5 m at 67.0 m 0.06% over 0.5 m at 78.5 m & 0.06% over 0.5 m at 79.5 m Results below cutoff grade |
| AK23-112 | ACKIO | Pod 7 - Overburden contact | 525671 | 6427532 | 463 | 270 | -60 | 129 includes | 1,235 cps over 2.7 m at 36.9 m 400 cps over 0.05 m at 42.0 m 350 cps over 0.15 m at 45.0 m 1,654 cps over 7.75 m at 49.65 m & 347 cps over 8.2 m at 59.65 m includes | 0.67% over 2.1 m at 36.9 m 0.83% over 1.5 m at 37.5 m Results below cutoff grade Results below cutoff grade 0.23% over 13.0 m at 50.5 m 1.82% over 1.0 m at 56.0 m Results below cutoff grade |
| AK23-113 | ACKIO | Pod 7 - Overburden contact | 525671 | 6427532 | 463 | 270 | -45 | 90 | 400 cps over 0.15 m at 52.0 m | Results below cutoff grade |
| AK23-116 | ACKIO | Between Pods 1 & 7 | 526058 | 6373005 | 463 | 270 | -60 | 138 | 852 cps over 1.9 m at 88.25 m 362 cps over 2.2 m at 107.2 m 4,700 cps over 0.15 m at 112.55 m 1,238 cps over 0.5 m at 115.75 m 663 cps over 0.2 m at 122.4 m | 0.21% over 1.5 m at 88.5 m 0.06% over 0.5 m at 107.0 m & 0.09% over 0.5 m at 109.0 m 0.32% over 0.5 m at 112.5 m 0.07% over 0.5 m at 115.5 m 0.21% over 0.5 m at 122.4 m |

4 DDH

568

4 DDH

3 DDH

NOTES: East and North units are metres using NAD83 datum, UTM Zone 13N

Elevation is recorded as "metres above sea level"

Az. = Azimuth, EOH = End of hole (measured in metres)

Composite radioactivity results use 300 cps cut-off and do not contain greater than 2.0 m consecutive dilution

Composite U₃O₈ results use 0.05% U₃O₈ cut-off and do not contain greater than 2.0 m consecutive dilution (i.e., dilution is <0.05% U₃O₈)

"**includes**" are composite U₃O₈ results using 0.50% U₃O₈ cut-off and do not contain greater than 2.0 m consecutive dilution (i.e., dilution is <0.50% U₃O₈)

1 - includes 1.75 m lost core over interval length